

## FS - 18 L



FS-18L CLEAR MOLDED CYLINDER LEXAN® FACE SHIELD

Ref. WELFS18L\_



### Product specifications

FS-18L features Lexan®, a superior quality optical grade material that's highly impact resistant and heat tolerant with limited scratch resistance.

Offers splash and impact protection.

Universal Hole Pattern on Elvex® face shields, also fit on the more popular headgear brands.

Elvex® face shields fit to our HG-25 and HG-35 headgears.

Material: Molded Cylinder Lexan®

#### **COLOR**

Clear

#### **SIZE**

No size

## Product Use - Risks



Shock



Heat



UV / IR



Agriculture / Green areas  
craftman



Construction / Civil engineering



Second work /  
craftman



Heavy industry



Light industry



Services / Logistics



Hygiene environment



Oil / Gas



Mining



Wind/Energy

## Product's highlights & user's benefits

Industry Leading Thickness: 0.078 inches

Die cut universal hole pattern fits most  
competitive headgear options.

Heat Tolerance: up to 265 degrees

Dimensions: 10 in. x 18.5 in. x .078 in.

UV Protection: 99.9% between 180-380nm



## Certifications and Standards

### USA STANDARDS



ANSI Z87.1-2010(+) American National Standards Institute - Occupational and didactic Personal Eye and Face Protection Devices.  
 ∴ High Velocity Impact  
 ∴ High Mass Impact

## References

| References | Bar code      | COLOR | SIZE    |  |  |
|------------|---------------|-------|---------|---|---|
| WELFS18L   | 7292946188060 | Clear | No size | 50  | -   |